

**GREENEBAUM**

Alexander P. MacRett & McDonald PLLC

Direct 502-588-4016 Fax 502-540-2246 E-mail apb@gdm.com



App. No. : 10/092,151  
Applicant : Kaestner, Frederick G. Jr.  
Filed : March 6, 2002  
TC/AU : 2672  
Examiner : Wang, Jin Cheng

Confirmation No. 9215

Docket No. : 101524.000001  
Customer No. : 23828

**RECEIVED**


AUG 03 2004

**Technology Center 2600**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**CERTIFICATE OF MAILING UNDER 37 CFR 1.8**

THE UNDERSIGNED CERTIFIES THAT THIS AMENDMENT IS BEING PLACED  
IN AN ENVELOPE ADDRESSED TO COMMISSIONER OF PATENTS, P.O. BOX  
1450, ALEXANDRIA, VA 22313-1450 AND DEPOSITED AS FIRST CLASS MAIL,  
POSTAGE PREPAID, THIS 26th DAY OF JULY, 2004.

  
\_\_\_\_\_

**RESPONSE TO OFFICE ACTION**

Sir:

Responsive to the Office action mailed March 25, 2004, please amend the above-identified application as follows:

**Amendments to the Specification:** Amendments to the specification begin on page 3 of this paper.

**Amendments to the Claims:** A complete listing of the claims begins on page 4 of this paper.

Appl. No. 10/092,151  
Response. dated July 26, 2004  
Reply to Office Action of March 25, 2004

**Amendments to the Drawings:** Amendments to the drawings begin on page 7 of this paper.

**Interview Summary:** None.

**Remarks/Arguments** begin on page 8 of this paper.

**Attachments:** Attached are 13 sheets of replacement drawings.

}

}